

Revised August 2018

Town of Gilmanton, New Hampshile Gilmanton, New Hampshile Gary Anderson, Vice-chair Gary Anderso Dustin Milliken, Alt Member

Page 1 of 5

Subdivision Application	
APPLICATION MUST BE ORIGINAL, MUST BE TYPED OR PRINTED LEGIBLY IN PEN. X Minor Subdivision Major Subdivision Lot Line Adjustment Open Space Subdivision Condominium Creation or Conversion I. Property, Owner and Applicant Information Property Owner(s) of Record: Peter Tosbors + Jakke C. Osbors All Owner(s) of Record Must Be Listed and are REQUIRED to Sign the Application.	Application: PB#2022-3 Submission Date: 5/17/26 Hearing Date: 6/9/26 Fees Paid Application Fee: \$250 Abutter Fee: \$65 Public Notice Fee: \$ Mapping Fee: \$ Total Fees Paid: \$
Mailing Address: PO Box 217, Pittsfield, Mth. If Different than the subject property Street or PO Box, City/Town, Street or PO Box, Street or PO Box, City/Town, City/To	tate, 03263 Zip Code
Home # Cell # Cell #	
Property Address: 30 Middle Route Private Road or X Class V Map / Lot #: 415 8 Zoning District: RURA Total Acreage: 5.23 Applicant(s): Paul F. Zuzgo US	
Mailing Address: PO BOX 149 , Alton , Mit Different than the property Owner(s) Street or PO Box City/Town , Street or PO Box Cell # 603-520-5938 E-mail PROSPECT MT	tate, 03809 Zip Code Survey@ gmail. Co
Mailing Address: Street or PO Box City/Town State	–• Zip Code
Business # Cell # E-mail II. Subject Property Please describe in detail ALL existing uses on the subject property. Include prima	ry use and all
Currently There is A House on And is Residential	

Please describe each: UR AL 2.89	in detail the propose Pergosics to Ae, And the	sed subdivision including the divide the Lut in will will	HALF Lot will have 2,34	roposed and the size of the house will AC
Has the subject	property previously	been subdivided?	Yes or No	
If yes; Date(s) o	f :		Number of lo	ots created:
If denied, state	the reason for the d	enial:		
Has the subject	property received p	revious site plan approval?		Yes or No
If yes; Date(s) o	f:	Туре о	of approval:	
Is the property	subject to:			
Deeded Covenants	or Restrictions			Yes or No
Current Use				Yes or No
Conservation Ease	ement			Yes or No
Private Easement(s) Existing			Yes or No
Public Utility Ease	ments Granted (Electri	c or Telephone)		Yes or No
Right-of-Way Gran	nted			Yes or No
State Driveway Per	rmit			Yes or No
Local Driveway Pe	rmit			Yes or No
III. Facility Da	<u>ata</u>	Existing	Proposed	
State Approved Pr	ivate Septic	Yes or No	Yes or No	
Private Well/Wate	r Supply	Yes or No	Yes or No	
Other Consider Yes or No		al meet all Zoning Ordinance Rec	quirements of Article l	IV, Table 2?
Yes or No	If no, have you re	eceived or applied for a Variance	from the ZBA?	
Yes or No	If yes, when?	Approved/De	enied/Pending	
Yes or No	If not, would you	like to request a Joint Hearing	with the Planning Boa	rd and ZBA?
Yes of No	Are there specific	conditions set forth by the ZBA	?	
Please list:	y-11-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-			
Yes or No	Do the proposals	require the development of a ro	ad(s)?	
Yes or No		roposed, are sidewalks, streetlig	hts, culverts and other	r improvements included
Yes or No	on the plan? Do the proposals	require that a Right-of-Way be	provided?	
Revised August 2018			Р	age 2 of 5

IV. Certification & Signature Page

1. The Applicant and/or owner, and/or agent, certifies that this application is correctly completed with all required attachments and that any additional reasonable costs for engineering or professional services incurred by the Planning Board or the Town of Gilmanton in the final application process of this property shall be borne by the following party: (Please initial the line of the respective party)

Applicant ____ Owner ft Agent

- ** Failure to indicate a responsible party for fees associated costs will result in the denial of the application without a public hearing in accordance with NH RSA 676:4 I(e)(2) (As amended)
- 2. The Owner/Agent hereby authorizes the Gilmanton Planning Board and its agents to access the subject land for the purpose of reviewing this subdivision plan, performing road inspections and any other inspections deemed necessary by the Board or its Agents, to insure conformance of the on-site improvements with the approved plan and all Town of Gilmanton Ordinances and Regulations.
- 3. The undersigned Owner/Agent hereby submits to the Gilmanton Planning Board a Completed Application Package and respectfully requests its approval of said plat. In considerations for approval and the privileges occurring thereto, the owner hereby agrees, as applicable:
 - To carry out the improvements agreed upon and as shown and intended by said plat, including any work made necessary by unforeseen conditions, which become apparent during construction.
 - To provide and install standard street signs as approved by the Town for all street intersections.
 - To give the Town on demand, proper deeds for land or rights of ways reserved on the plat for streets, drainage or other purposes as agreed upon during the public hearing.
 - To save the Town harmless from any obligation it may incur or repairs it may make, because of my failure to carry out any of the foregoing provisions.
 - To make no changes whatsoever in the Final Plat as approved by the Board unless a revised plan or a plat or new application is submitted and approved by the Planning Board.
 - To construct improvements or post the Planning Board's Performance Guarantee to insure completion of the improvements shown on the plat and related drawings.
 - There are no known violations of the Town of Gilmanton Zoning Ordinance or Gilmanton Planning Board Regulations present on the property that have not been disclosed as part of this application.
 - To insure proper boundary documentation at the project's completion in accordance with the Town of Gilmanton Subdivision Regulations.

Authorization to Act as A					
Mr. Mrs./Ms. PAULF. who is authorized to act as a Planning Board for the deve	elopment of m	ıy property	, all communic	is hereby do s necessary ations to th	esignated as the person from the Gilmanton e owner may be
addressed to the agent with	copy provide	d to the pr	operty owner.		
Certification:			1		
Owner of Record signature:	16	160	11		Date: 5-17-22
Owner of Record signature:	Retu) Øs	ham		Date: 5-17-22

Page 3 of 5




Plan Checklist for Subdivision Review Town of Gilmanton Planning Board

	A completed application accompanied by a plan with:	Yes	No	Waiver	N/A
1)	Names and addresses of all abutters, taken from the town	V			
	records not more than five (5) days before the day of filing.				
2)	Names and addresses of all persons whose name and	V			
	seal appears on the plat. Confirm signatures.				
3)	Names and addresses of all holders of conservation,				
	preservation or agricultural preservation restrictions.	-			
4)	Payment in full of all application filing and notification fees.				
*If A	oplication is approved, remaining mapping&recording fees due as condition of approval				
5)	One (1) Mylar, seven (7) paper copies of the Plat,				
	one (1) 11" x 17" copy prepared according to the standards				
	of the NH Land Surveyors Association and the County				
	Registry of Deeds as follows:				
	a) Plats shall be at any scale between 1"=20' and 1"=400';	~			
	b) The outside dimensions of the plat shall be 24" x 36",				
	or as other wise specified by the County Registry of Deeds;				
	c) The material composition shall be suitable for electronic				
	scanning and archiving by the Registry of Deeds;				
	d) All plats shall have a minimum 1/2" margin on all sides;				
	e) All title blocks should be located in the lower right hand			-	
	corner, and shall indicate:				
	i) Type of survey;	1			
	ii) Owner of record;				
	iii) Title of the plan;	W			
	iv) Current Tax Map and Lot Number;				
	v) Plan date and revision dates;	V			
6)	Certificate of Authorization signed by owner(s), if the applicant	V			
	is not the owner(s) of record.				\Box
	The plat shall show the following information:				\neg
1)	Proposed subdivision name or identifying title; name and	سا			
	address of the applicant and of the owner, if other than the				\neg
	applicant.				\Box
2)	North arrow, scale-written and graphic, date of the plan, name,				
	license number and seal of NH Licensed Land Surveyor.				
	Signature block for Planning Board endorsement and date of				\Box
	approval; with the following statement present:				\neg
	This plat meets all Zoning and Subdivision Regulations of the Town	1-			\neg
	of Gilmanton in effect as of the date of filing unless written request				
	for waivers have been previously granted or are submitted as part of				\neg
	this filing.				\neg

		Yes	No	Waiver	N/A	1
4)	Locus plan showing general location of the total tract within	1	1		1	1
	the town and the zoning district(s).		\vdash		1	1
5)	Boundary Survey including bearings, horizontal distances and	<u></u>	_	A		1
	the location of permanent markers. Curved boundary lines					1
	shall show radius, delta and length.					1
6)	Names of all abutting subdivisions, streets, easements,	1				1
	building lines, parks and public places, and similar facts					1
	regarding abutting properties.					1
7)	Location of all property lines and their dimensions; lot areas in	1				1
	square feet and acres. Lots numbered according to the Town					1
	tax map numbering system.					1
	Location and amount of frontage on public right-of-way.	1				1
9)	Location of building setback lines.					
10)	Location of all existing and proposed buildings and other			5 8		
	structures.					
11)	Location of all parcels of land proposed to be dedicated to				/	Ī
	public use.					
12)	Location & description of any existing or proposed easements.	1				
13)	Existing and proposed wells, culverts, drains, sewers; proposed	سا				
	connections or alternative means of providing water supply					
	supply and disposal of sewage and surface drainage.					
14)	Existing and proposed streets with names, classification, travel	<u></u>				
	surface widths, right-of-way widths.					
	Final road profiles, center line stationing and cross sections.				WA	
16)	Location and width of existing and proposed driveways.	V				
17)	Water courses, ponds, standing water, rock ledges, stone walls;	~				
	open space to be preserved; and any other man-made or natural					
	features.					
18)	Existing and proposed topographic contours based upon the					
	USGS topographical data, w/ spot elevations where necessary.					
	Soil and wetland delineation.	<u></u>				
20)	Location of percolation tests and test results; and outline of	V				
	4,000 sf septic area with any applicable setback lines.				\perp	
21)	Location of existing and proposed well, with 75-foot well	1				
_	radius on its own lot.				\perp	
22)	Base flood elevations and flood hazard areas, based on the				1	
	FEMA maps. (Available in the Planning Office)				\perp	
	Other Information		_		\vdash	
1)	Plan for Stormwater Management and Erosion Control.	-			\vdash	, ,
	State subdivision approval for septic systems; septic design.	-				Pend
	Alteration of Terrain Permit and Wetlands Permit from NH DES.	-			10	
	State/Town driveway permit, as applicable.	-				
5)	Any deed restrictions; and all deeds covering land to be used	\vdash			1	
-	for public purposes, easements & rights-of-way over property				\vdash	
	to remain in private ownership.				\perp	

Page 5 of 5



Subject Property:

Parcel Number:

415-008-000

CAMA Number:

415-008-000-000-000

Property Address: 30 MIDDLE RT

Mailing Address: OSBORNE, JANICE C & PETER J

PO BOX 217

PITTSFIELD, NH 03263

Abutters:

Parcel Number:

409-001-000

CAMA Number:

409-001-000-000-000

Property Address: 59 MIDDLE RT

Parcel Number:

409-078-000

CAMA Number:

409-078-000-000-000

Property Address:

68 MIDDLE RT

Parcel Number: CAMA Number:

409-079-000

Property Address:

409-079-000-000-000

56 MIDDLE RT

Parcel Number:

415-006-000

CAMA Number:

415-006-000-000-000

Property Address: 25 MIDDLE RT

Parcel Number:

415-007-000

CAMA Number:

415-007-000-000-000

Property Address: 45 MIDDLE RT

Parcel Number:

415-009-000

CAMA Number:

415-009-000-000-000

Property Address: 22 MIDDLE RT

Mailing Address: LAKIN, ROBERT P & KIMBERLI S

59 MIDDLE RT

GILMANTON IW. NH 03837

Mailing Address: JENNINGS, CRAIG & LINDA

68 MIDDLE RT

GILMANTON IW, NH 03837

Mailing Address:

FALLER, MIA M

56 MIDDLE RTE

GILMANTON IW, NH 03837

Mailing Address: GEDDES, EBONY R & DAVID D

120 GEDDES RD

GILMANTON IW, NH 03837

Mailing Address:

CILLEY, KAREN L

45 MIDDLE RT

GILMANTON IW, NH 03837

Mailing Address:

GODDARD, MARY FARR REV TRUST

GODDARD, MARY FARR TRUSTEE

22 MIDDLE RT

GILMANTON IW, NH 03837

Prospect Mountain Survey

P.O. Box 1491 • Alton, NH 03809 • 603-520-5938

Authorization Janice Osborn 30 Middle Route Gilmanton

3/28/2022

To: Town of Gilmanton Land use boards

I, Janice Osborn, authorize Paul Zuzgo, LLS of Prospect Mountain Survey to act as my agent.

Owner	Vila	11	(stor	rue	
Owner_	Peter	91	Sterne		
	7-	1			
Agent					

Thank you

Paul Zuzgo. LLS

Prospect Mountain Survey

P.O. Box 1491 • Alton, NH 03809 • 603-520-5938

Test Pit Data 30 Middle Route Gilmanton, NH

Test Pit Data

May 9, 2022

0-4"

forest matter

4-10"

10YR 4/4 Dark Yellowish Brown, fine sandy loam, friable, granular structure,

stony

10-24"

10YR 5/6 Yellowish Brown, fine sandy loam, friable, granular structure, stony

24-62"

2.5Y 5/4 Light Olive Brown, firm loamy sand, blocky structure, stony, 10% high


chroma redox 7.5YR 5/8 Strong Brown.

24" seasonal high water table No water observed No ledge Roots to 30"

Percolation Test Results May 9, 2022 1" every 10 minutes at 18" deep

Pit results provided by: Greg Vachon

Licensed NH Septic Designer #1680






NRCS

Natural Resources Conservation Service A product of the National Cooperative Soil Survey, a joint effort of the United States Department of Agriculture and other Federal agencies, State agencies including the Agricultural Experiment Stations, and local participants

Custom Soil Resource Report for Merrimack and Belknap Counties, New Hampshire





Map Unit Legend

Map Unit Symbol	Map Unit Name	Acres in AOI	Percent of AOI
19 4 A	Catden mucky peat, 0 to 1 percent slopes, ponded	1.1	2.5%
480B	Millsite-Woodstock-Henniker complex, 3 to 8 percent slopes, very stony	13.7	31.6%
480C	Millsite-Woodstock-Henniker complex, 8 to 15 percent slopes, very stony		40.7%
894A	Meadowsedge peat, 0 to 1 percent slopes	11.0	25.3%
Totals for Area of Interest	1	43.5	100.0%

Map Unit Descriptions

The map units delineated on the detailed soil maps in a soil survey represent the soils or miscellaneous areas in the survey area. The map unit descriptions, along with the maps, can be used to determine the composition and properties of a unit.

A map unit delineation on a soil map represents an area dominated by one or more major kinds of soil or miscellaneous areas. A map unit is identified and named according to the taxonomic classification of the dominant soils. Within a taxonomic class there are precisely defined limits for the properties of the soils. On the landscape, however, the soils are natural phenomena, and they have the characteristic variability of all natural phenomena. Thus, the range of some observed properties may extend beyond the limits defined for a taxonomic class. Areas of soils of a single taxonomic class rarely, if ever, can be mapped without including areas of other taxonomic classes. Consequently, every map unit is made up of the soils or miscellaneous areas for which it is named and some minor components that belong to taxonomic classes other than those of the major soils,

Most minor soils have properties similar to those of the dominant soil or soils in the map unit, and thus they do not affect use and management. These are called noncontrasting, or similar, components. They may or may not be mentioned in a particular map unit description. Other minor components, however, have properties and behavioral characteristics divergent enough to affect use or to require different management. These are called contrasting, or dissimilar, components. They generally are in small areas and could not be mapped separately because of the scale used. Some small areas of strongly contrasting soils or miscellaneous areas are identified by a special symbol on the maps. If included in the database for a given area, the contrasting minor components are identified in the map unit descriptions along with some characteristics of each. A few areas of minor components may not have been observed, and consequently they are not mentioned in the descriptions, especially where the pattern was so complex that it was impractical to make enough observations to identify all the soils and miscellaneous areas on the landscape.

Across-slope shape: Concave

Hydric soil rating: Yes

Catden

Percent of map unit: 3 percent

Landform: Bogs

Down-slope shape: Concave Across-slope shape: Concave

Hydric soil rating: Yes

Scarboro

Percent of map unit: 3 percent Landform: Depressions Down-slope shape: Concave Across-slope shape: Concave

Hydric soil rating: Yes

Saco

Percent of map unit: 2 percent Landform: Flood plains Down-slope shape: Concave Across-slope shape: Concave Hydric soil rating: Yes

Whitman

Percent of map unit: 2 percent Landform: Depressions Down-slope shape: Concave Across-slope shape: Concave Hydric soil rating: Yes

480B—Millsite-Woodstock-Henniker complex, 3 to 8 percent slopes, very stony

Map Unit Setting

National map unit symbol: 9dpy Elevation: 200 to 2,940 feet

Mean annual precipitation: 40 to 50 inches Mean annual air temperature: 37 to 46 degrees F

Frost-free period: 90 to 135 days

Farmland classification: Farmland of local importance

Map Unit Composition

Millsite and similar soils: 35 percent Henniker and similar soils: 20 percent Woodstock and similar soils: 20 percent

Minor components: 25 percent

Estimates are based on observations, descriptions, and transects of the mapunit.

Description of Millsite

Setting

Landform: Hillslopes Down-slope shape: Linear Across-slope shape: Linear

Parent material: Till

Typical profile

Oi - 0 to 1 inches: slightly decomposed plant material

H1 - 1 to 3 inches: very fine sandy loam H2 - 3 to 13 inches: very fine sandy loam

H3 - 13 to 24 inches: gravelly very fine sandy loam

H4 - 24 to 28 inches: bedrock

Properties and qualities

Slope: 3 to 8 percent

Surface area covered with cobbles, stones or boulders: 1.6 percent

Depth to restrictive feature: 20 to 40 inches to lithic bedrock

Drainage class: Well drained

Runoff class: High

Capacity of the most limiting layer to transmit water (Ksat): Low to high (0.01 to

5.95 in/hr)

Depth to water table: More than 80 inches

Frequency of flooding: None Frequency of ponding: None

Available water supply, 0 to 60 inches: Low (about 3.8 inches)

Interpretive groups

Land capability classification (irrigated): None specified

Land capability classification (nonirrigated): 6s

Hydrologic Soil Group: B

Ecological site: F144BY501ME - Loamy Slope (Northern Hardwoods)

Hydric soil rating: No

Description of Henniker

Settina

Landform: Hills

Down-slope shape: Linear Across-slope shape: Linear

Parent material: Basal melt-out till derived from granite, gneiss, or schist

Typical profile

Oi - 0 to 1 inches: slightly decomposed plant material

H1 - 1 to 4 inches: fine sandy loam H2 - 4 to 34 inches: fine sandy loam H3 - 34 to 65 inches: fine sandy loam

Properties and qualities

Slope: 3 to 8 percent

Surface area covered with cobbles, stones or boulders: 1.6 percent Depth to restrictive feature: 20 to 39 inches to densic material

Drainage class: Well drained Runoff class: Medium

Capacity of the most limiting layer to transmit water (Ksat): Moderately low to

moderately high (0.06 to 0.60 in/hr)

Depth to water table: About 18 to 38 inches

Frequency of flooding: None Frequency of ponding: None

Available water supply, 0 to 60 inches: Low (about 4.2 inches)

Interpretive groups

Land capability classification (irrigated): None specified

Land capability classification (nonirrigated): 6s

Hydrologic Soil Group: C

Ecological site: F144BY501ME - Loamy Slope (Northern Hardwoods)

Hydric soil rating: No

Description of Woodstock

Setting

Landform: - error in exists on -

Landform position (three-dimensional): Side slope

Down-slope shape: Linear Across-slope shape: Linear

Parent material: Till derived from granite and gneiss

Typical profile

Oe - 0 to 0 inches: slightly decomposed plant material

H1 - 0 to 2 inches: fine sandy loam H2 - 2 to 11 inches: fine sandy loam H3 - 11 to 15 inches: bedrock

Properties and qualities

Slope: 3 to 8 percent

Surface area covered with cobbles, stones or boulders: 1.6 percent

Depth to restrictive feature: 10 to 20 inches to lithic bedrock

Drainage class: Somewhat excessively drained

Runoff class: Very high

Capacity of the most limiting layer to transmit water (Ksat): Low to high (0.01 to

5.95 in/hr)

Depth to water table: More than 80 inches

Frequency of flooding: None Frequency of ponding: None

Available water supply, 0 to 60 inches: Very low (about 2.1 inches)

Interpretive groups

Land capability classification (irrigated): None specified

Land capability classification (nonirrigated): 6s

Hydrologic Soil Group: D

Ecological site: F144BY701ME - Shallow Till

Hydric soil rating: No

Minor Components

Moosilauke

Percent of map unit: 5 percent Landform: Ground moraines Down-slope shape: Linear Across-slope shape: Convex Hydric soil rating: Yes

Canterbury

Percent of map unit: 5 percent

Landform: Drumlins
Down-slope shape: Linear
Across-slope shape: Linear
Hydric soil rating: No

Metacomet

Percent of map unit: 3 percent Landform: Hillslopes Down-slope shape: Linear Across-slope shape: Linear Hydric soil rating: No

Tunbridge

Percent of map unit: 2 percent Landform: Hillslopes Down-slope shape: Linear Across-slope shape: Linear Hydric soil rating: No

Lyman

Percent of map unit: 2 percent Landform: Hillslopes Down-slope shape: Linear Across-slope shape: Linear Hydric soil rating: No

Searsport

Percent of map unit: 2 percent Landform: Outwash terraces Down-slope shape: Concave Across-slope shape: Concave Hydric soil rating: Yes

Becket

Percent of map unit: 2 percent Landform: Hills Down-slope shape: Linear Across-slope shape: Linear Hydric soil rating: No

Rock outcrop

Percent of map unit: 2 percent Hydric soil rating: Unranked

Chichester

Percent of map unit: 2 percent Landform: Hillslopes Down-slope shape: Linear Across-slope shape: Linear Hydric soil rating: No

Becket

Percent of map unit: 2 percent

Landform: Hills

Down-slope shape: Linear Across-slope shape: Linear Hydric soil rating: No

Rock outcrop

Percent of map unit: 2 percent Hydric soil rating: Unranked

Chichester

Percent of map unit: 2 percent

Landform: Hillslopes Down-slope shape: Linear Across-slope shape: Linear Hydric soil rating: No

Tunbridge

Percent of map unit: 2 percent

Landform: Hillslopes Down-slope shape: Linear Across-slope shape: Linear Hydric soil rating: No

894A—Meadowsedge peat, 0 to 1 percent slopes

Map Unit Setting

National map unit symbol: 21xtq Elevation: 250 to 2,940 feet

Mean annual precipitation: 40 to 50 inches
Mean annual air temperature: 37 to 46 degrees F

Frost-free period: 90 to 135 days

Farmland classification: Not prime farmland

Map Unit Composition

Meadowsedge and similar soils: 75 percent

Minor components: 25 percent

Estimates are based on observations, descriptions, and transects of the mapunit.

Description of Meadowsedge

Setting

Landform: Bogs

Down-slope shape: Concave Across-slope shape: Concave Parent material: Organics

Typical profile

Oi - 0 to 4 inches: mucky peat

Oe - 4 to 65 inches: moderately decomposed plant material

Properties and qualities

Slope: 0 to 1 percent

Depth to restrictive feature: More than 80 inches

Drainage class: Very poorly drained

Runoff class: Very low

Capacity of the most limiting layer to transmit water (Ksat): Moderately high to high

(0.20 to 6.00 in/hr)

Depth to water table: About 0 inches

Frequency of flooding: None Frequency of ponding: Occasional

Maximum salinity: Nonsaline (0.0 to 1.9 mmhos/cm)

Available water supply, 0 to 60 inches: Very high (about 20.9 inches)

Interpretive groups

Land capability classification (irrigated): None specified

Land capability classification (nonirrigated): 7w

Hydrologic Soil Group: A/D

Ecological site: F144BY220ME - Semi-acidic Peat Wetland Complex

Hydric soil rating: Yes

Minor Components

Chocorua

Percent of map unit: 11 percent

Landform: Bogs

Down-slope shape: Concave Across-slope shape: Concave

Hydric soil rating: Yes

Meadowsedge, ponded

Percent of map unit: 5 percent

Landform: Bogs

Down-slope shape: Concave Across-slope shape: Concave

Hydric soil rating: Yes

Peacham

Percent of map unit: 4 percent Landform: Depressions Down-slope shape: Concave Across-slope shape: Concave

Hydric soil rating: Yes

Searsport

Percent of map unit: 3 percent Landform: Outwash terraces Down-slope shape: Concave Across-slope shape: Concave

Hydric soil rating: Yes

Medomak

Percent of map unit: 2 percent

Landform: Flood plains

Down-slope shape: Concave Across-slope shape: Concave Hydric soil rating: Yes